



Our Ref: RN-1090/PT-1039

July 11, 1997

VIA COURIER

The Commissioner of Patents
UNITED STATES PATENT OFFICE
2011 Jefferson Davis Highway
Crystal Plaza 2, Room 1B03
Arlington, Virginia.
U.S.A. 22202

Attention: Certificate of Corrections Branch

Dear Sir:

**Re: United States Letters Patent No. 5,639,738
of HYAL PHARMACEUTICAL CORPORATION
for TREATMENT OF BASAL CELL CARCINOMA AND ACTINIC
KERATOSIS EMPLOYING HYALURONIC ACID AND NSAIDS
Issued June 17, 1997**

REQUEST FOR CERTIFICATE OF CORRECTION

In accordance with 37 C.F.R. 1.323, the Patentee herein through his Attorney respectfully requests that a Certificate of Correction be issued in the above-referenced Patent. The error in the Patent includes the following:

INID [63] should read the same as at column 1, lines 6 - 14,

--- Continuation-In-Part Application of U.S. patent application Ser. No. 07/675,908, filed on Jul. 3, 1991 which Application and its contents are incorporated herein by reference in its entirety and which Application was the Application entering the National Phase in the United States from PCT Application Ser. No. PCT/CA90/00306 filed Sept. 18, 1990 which Application claims priority from Canadian Patent Application Ser. No. 612,307-4 filed Sep. 21, 1989. ---

to replace the following,

"Continuation-in-part of Ser. No. 675,908, filed as PCT/CA90/00306, Sept. 18, 1990."

A Certificate of Correction incorporating the above change is enclosed herewith in duplicate.

The above mistake was a typographical error on the part of the Patent Office and does not involve such change in the Patent as would constitute new matter or would require re-examination.

CERTIFICATE

JUL 18 1997

OF CORRECTION

APPROVED

AUG 13 1997

Barristers & Solicitors
Ivor M. Hughes
Joseph I. Etigson

Patent Agents
Neil H. Hughes, P. Eng.
Marcelo K. Sarkis, P. Eng.

Counsel
Alfred Schorr

**HUGHES
ETIGSON**
Barristers & Solicitors

Patent & Trade
Mark Agents
Canada, United States

175 Commerce Valley
Drive West
Suite 200
Thornhill, Ontario
Canada L3T 7P6
Phone: 905 / 771-6414
Fax: 905 / 771-6420



In addition, we enclose herewith a stamped, self-addressed verification card which we request be acknowledged and returned to this office at the earliest opportunity.

We thank the Commissioner for his co-operation in this regard and look forward to receiving a Certificate of Correction to reflect the changes as marked on the attached Form PTO-1050.

Respectfully submitted,

HUGHES, ETIGSON

Ivor M. Hughes

IMH:mse
Enclosure

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 5,639,738

DATED : June 17, 1997

INVENTOR(S) : Rudolf Edgar Falk, Samuel Simon Asculai

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

INID [63] should read as follows:

Continuation-In-Part Application of U.S. patent application Ser. No. 07/675,908, filed on Jul. 3, 1991 which Application and its contents are incorporated herein by reference in its entirety and which Application was the Application entering the National Phase in the United States from PCT Application Ser. No. PCT/CA90/00306 filed Sept. 18, 1990 which Application claims priority from Canadian Patent Application Ser. No. 612,307-4 filed Sep. 21, 1989.

C
See Amended